

Revision date : 2020/11/13 Version: 12.0

Page: 1/14 (30768792/SDS\_GEN\_US/EN)

# 1. Identification

Product identifier used on the label

# **SPF EF PART B 2.8 - FAST**

## Recommended use of the chemical and restriction on use

Recommended use\*: polyurethane component; industrial chemicals Suitable for use in industrial sector: Polymers industry; chemical industry Unsuitable for use: Uses other than recommended

\* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

## Details of the supplier of the safety data sheet

<u>Company:</u> BASF CORPORATION 100 Park Avenue Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

Supplier Address

Mule-Hide Products, Co., Inc. 1195 Prince Hall Drive Beloit, Wi 53511 (800) 786-1492

## **Emergency telephone number**

24 Hour Emergency Response Information CHEMTREC: 1-800-424-9300 BASF HOTLINE: 1-800-832-HELP (4357)

### Other means of identification

Chemical family:resinSynonyms:Urethane System Resin Component

# 2. Hazards Identification

# According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

## **Classification of the product**

Acute Tox.	4 (oral)	Acute toxicity
Skin Corr./Irrit.	2	Skin corrosion/irritation
Eye Dam./Irrit.	1	Serious eye damage/eye irritation
Skin Sens.	1	Skin sensitization
STOT RE	2 (oral)	Specific target organ toxicity — repeated

Revision date : 2020/11/13	
Version: 12.0	

Page: 2/14 (30768792/SDS\_GEN\_US/EN)

exposure

Hazardous to the aquatic environment - acute Hazardous to the aquatic environment - chronic

# Label elements

Aquatic Acute

Aquatic Chronic



2

2

Signal Word: Danger

Hazard Statement:			
H318	Causas sarious ava damaga		
H315	Causes serious eye damage. Causes skin irritation.		
H302	Harmful if swallowed.		
H317	May cause an allergic skin reaction.		
H373	May cause damage to organs (Kidney) through prolonged or repeated exposure (oral).		
H401	Toxic to aquatic life.		
H411	Toxic to aquatic life with long lasting effects.		
Precautionary Statemer	nts (Prevention):		
P280	Wear protective gloves and eye protection or face protection.		
P273	Avoid release to the environment.		
P260	Do not breathe dust/gas/mist/vapours.		
P272	Contaminated work clothing should not be allowed out of the workplace.		
P270	Do not eat, drink or smoke when using this product.		
P264	Wash contaminated body parts thoroughly after handling.		
Precautionary Statemer	nts (Response):		
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
P310	Immediately call a POISON CENTER or physician.		
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.		
P330	Rinse mouth		
P362 + P364	Take off contaminated clothing and wash it before reuse.		
P391	Collect spillage.		
Precautionary Statemer	nts (Disposal):		
P501	Dispose of contents/container in accordance with local regulations.		

# Hazards not otherwise classified

No specific dangers known, if the regulations/notes for storage and handling are considered.

# 3. Composition / Information on Ingredients

# According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Triethyl phosphate CAS Number: 78-40-0 Content (W/W): >= 1.0 - < 5.0% Synonym: Phosphoric acid triethyl ester; Triethyl phosphate

Revision date : 2020/11/13 Version: 12.0

cyclohexyldimethylamine CAS Number: 98-94-2 Content (W/W): >= 1.0 - < 5.0% Synonym: N,N-Dimethyl cyclohexanamine; Cyclohexyldimethylamine
diethylene glycol CAS Number: 111-46-6 Content (W/W): >= 3.0 - < 10.0% Synonym: Diethylene glycol
tris(2-chloro-1-methylethyl)phosphate CAS Number: 13674-84-5 Content (W/W): >= 3.0 - < 10.0% Synonym: 1-Chloro-2-propanol phosphate (3:1); Tris (2-chloro-1- methylethyl)phosphate
1-Propene, 1-chloro-3,3,3-trifluoro-, (1E)- CAS Number: 102687-65-0 Content (W/W): >= 3.0 - < 10.0% Synonym: No data available.
4-Nonylphenol, branched, ethoxylated CAS Number: 127087-87-0 Content (W/W): >= 0.0 - < 7.0% Synonym: 4-Nonylphenol, branched, ethoxylated
Bismuth, 2,2',2'',2'''-(1,2-ethanediyldinitrilo)tetrakis[ethanol] neodecanoate polypropylene glycol complexes CAS Number: 2365490-81-7 Content (W/W): >= 0.1 - < 5.0% Synonym: No data available.
Ethylene oxide, polymer with 2,2'-iminodiethanol and propylene oxide CAS Number: 34354-45-5 Content (W/W): >= 0.0 - < 5.0% Synonym: (POLYMER) Ethylene oxide, polymer with 2,2'-iminodiethanol and propylene oxide
Oxirane, 2-methyl-, polymer with oxirane, ether with 2,6-bis[[bis(2-hydroxyethyl)amino]methyl]-4- branched nonylphenol CAS Number: 940912-28-7 Content (W/W): >= 0.0 - < 20.0% Synonym: (POLYMER) Oxirane, 2-methyl-, polymer with oxirane, ether with 2,6- bis[[bis(2-hydroxyethyl)amino]methyl]-4-branched nonylphenol
Aromatic Amino Polyol CAS Number: 302933-85-3 Content (W/W): >= 0.0 - < 20.0% Synonym: (POLYMER) Formaldehyde, reaction products with branched 4- nonylphenol, diethanolamine and diisopropanolamine, ethoxylated propoxylated
2,2'-dimorpholinyldiethylether CAS Number: 6425-39-4 Content (W/W): >= 0.1 - < 5.0% Synonym: Morpholine, 4, 4'-(oxydi-2,1-ethanediyl)bis-
Polyetherpolyol, halogenated

Revision date : 2020/11/13 Version: 12.0

CAS Number: 68441-62-3 Content (W/W): >= 1.0 - < 7.0% Synonym: 2-Butyne-1,4-diol polymer with (chloromethyl)oxirane, brominated, dehydrochlorinated, methoxylated

# 4. First-Aid Measures

## **Description of first aid measures**

### General advice:

Remove contaminated clothing.

#### If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

#### If on skin:

Wash thoroughly with soap and water

If irritation develops, seek medical attention.

## If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

Remove contact lenses, if present.

### If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting. Immediate medical attention required.

# Most important symptoms and effects, both acute and delayed

Symptoms: (Further) symptoms and / or effects are not known so far corneal injury, allergic symptoms, Ingestion may cause gastrointestinal irritation with nausea, vomiting and diarrhea., Ingestion may provoke the following symptoms:, kidney damage, skin irritation

Information on: diethylene glycol Symptoms: Overexposure may cause:, vomiting, coma, abdominal cramps, lethargy, nausea, diarrhea, headache

Information on: tris(2-chloro-1-methylethyl)phosphate Symptoms: Overexposure may cause:, convulsions, depression, hypoxemia, tremors

### Information on: Triethyl phosphate

Symptoms: Overexposure may cause:, Eye irritation, skin irritation, erythema, nausea, headache, vomiting, dizziness, diarrhea, abdominal cramps

Information on: cyclohexyldimethylamine

Symptoms: Overexposure may cause:, corneal injury, skin corrosion, severe pain, coughing, respiratory disorders, dyspnea, nausea, headache, vomiting, dizziness, diarrhea, abdominal cramps

#### Information on: 2,2'-dimorpholinyldiethylether

Symptoms: Overexposure may cause:, Eye irritation, skin irritation, erythema, nausea, headache, vomiting, dizziness, diarrhea, abdominal cramps

Revision date : 2020/11/13 Version: 12.0 Page: 5/14 (30768792/SDS\_GEN\_US/EN)

Information on: Oxirane, 2-methyl-, polymer with oxirane, ether with 2,6-bis[[bis(2hydroxyethyl)amino]methyl]-4-branched nonylphenol Symptoms: Ingestion may cause gastrointestinal irritation with nausea, vomiting and diarrhea., skin irritation, corneal injury

Hazards: No hazards anticipated.

# Indication of any immediate medical attention and special treatment needed

### Note to physician

Treatment:

Treat according to symptoms (decontamination, vital functions), no known specific antidote.

# 5. Fire-Fighting Measures

## **Extinguishing media**

Suitable extinguishing media: water spray, dry powder, carbon dioxide, foam

Unsuitable extinguishing media for safety reasons: water jet

### Special hazards arising from the substance or mixture

Hazards during fire-fighting: No particular hazards known.

### Advice for fire-fighters

Protective equipment for fire-fighting: Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

### **Further information:**

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

# 6. Accidental release measures

<u>Further accidental release measures:</u> High risk of slipping due to leakage/spillage of product.

**Personal precautions, protective equipment and emergency procedures** Use personal protective clothing.

### **Environmental precautions**

Do not empty into drains. Do not discharge into the subsoil/soil.

# Methods and material for containment and cleaning up

Spills should be contained, solidified, and placed in suitable containers for disposal.

# 7. Handling and Storage

# Precautions for safe handling

Revision date : 2020/11/13 Version: 12.0 Page: 6/14 (30768792/SDS GEN US/EN)

Ensure thorough ventilation of stores and work areas. Avoid inhalation of dusts/mists/vapours. When using do not eat, drink or smoke. Wear suitable gloves and eye/face protection. Protect against moisture.

Protection against fire and explosion: No special precautions necessary.

## Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds. Segregate from acids. Segregate from oxidants.

Suitable materials for containers: Carbon steel (Iron), High density polyethylene (HDPE), Low density polyethylene (LDPE), Stainless steel 1.4301 (V2)

Further information on storage conditions: Containers should be stored tightly sealed in a dry place.

Storage stability: Storage temperature: 16 - 27 °C Protect against moisture. The stated storage temperature is noted for health and safety in the workplace. With regard to Quality, please refer to the product specific Technical Bulletin.

# 8. Exposure Controls/Personal Protection

#### Advice on system design:

Provide local exhaust ventilation to control vapours/mists.

### Personal protective equipment

### **Respiratory protection:**

Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator as needed.

### Hand protection:

Chemical resistant protective gloves

#### Eye protection:

Wear face shield or tightly fitting safety goggles (chemical goggles) if splashing hazard exists.

### **Body protection:**

Standard work clothes and shoes.

### General safety and hygiene measures:

Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Wear protective clothing as necessary to prevent contact. Avoid inhalation of vapours/mists. Wash soiled clothing immediately. Do not eat, drink or use tobacco while working. Wash thoroughly after handling.

# 9. Physical and Chemical Properties

Form: Odour: Odour threshold: Colour: pH value: Freezing point: Melting point: liquid amine-like No applicable information available. amber >= 7.0 > 0.00 °C No data available.

Revision date : 2020/11/13 Version: 12.0		Page: 7/14 (30768792/SDS_GEN_US/EN)
Boiling point:	> 100.00 °C	
Sublimation point:	No applicable information available.	
Flash point:	> 200.00 °F	(closed cup)
Flammability:	not flammable	(derived from flash point)
Lower explosion limit:	For liquids not relevant for classification and labelling. The lower explosion point may be 5 - 15 °C below the flash point.	
Upper explosion limit:	For liquids not relevant for classification and labelling.	
Autoignition:	Unspecified	
Vapour pressure:	< 0.1 hPa ( 25 °C)	
Density:	2.45 - 2.65 lb/USg ( 23.88 °C)	
Relative density:	No applicable information available.	
Vapour density:	No applicable information available.	
Partitioning coefficient n- octanol/water (log Pow):	Unspecified	
Self-ignition temperature:	not self-igniting	
Thermal decomposition:	No decomposition if stored and handle prescribed/indicated.	ed as
Viscosity, dynamic:	400.000 mPa.s ( 22.00 °C)	
Viscosity, kinematic:	No applicable information available.	
Solubility in water:	slightly soluble	
Solubility (quantitative):	No applicable information available.	
Solubility (qualitative):	No applicable information available.	
Molar mass:	not applicable	
Evaporation rate:	Value can be approximated from Henry's Law Constant or vapor pressure.	
Other Information:	If necessary, information on other physical parameters is indicated in this section.	

# 10. Stability and Reactivity

### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: No corrosive effect on metal.

Oxidizing properties: Not an oxidizer.

# **Chemical stability**

The product is stable if stored and handled as prescribed/indicated.

# Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

# Conditions to avoid

Temperature: < 0 degrees Celsius

Revision date : 2020/11/13 Version: 12.0

## Incompatible materials

acids, oxidizing agents, isocyanates

# Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: carbon monoxide, carbon dioxide, nitrogen oxide, hydrogen cyanide

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

# **11. Toxicological information**

## Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

# **Acute Toxicity/Effects**

#### Acute toxicity

Information on: diethylene glycol Assessment of acute toxicity:Of moderate toxicity after single ingestion. Virtually nontoxic after a single skin contact. May be fatal if swallowed.

Information on: tris(2-chloro-1-methylethyl)phosphate Assessment of acute toxicity:Of moderate toxicity after single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact.

Information on: Triethyl phosphate Assessment of acute toxicity:Of moderate toxicity after single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation.

Information on: Oxirane, 2-methyl-, polymer with oxirane, ether with 2,6-bis[[bis(2hydroxyethyl)amino]methyl]-4-branched nonylphenol Assessment of acute toxicity:Of moderate toxicity after single ingestion.

Information on: cyclohexyldimethylamine Assessment of acute toxicity:Of pronounced toxicity after short-term skin contact. Of pronounced toxicity after short-term inhalation. Of pronounced toxicity after single ingestion.

#### Information on: Ixol M 125

Assessment of acute toxicity:Of moderate toxicity after single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact.

Information on: Polyetherpolyol, halogenated

Information on: Aromatic Amino Polyol Assessment of acute toxicity:Of moderate toxicity after short-term skin contact.

Oral

Revision date : 2020/11/13 Version: 12.0

> Type of value: ATE Value: 1,845 mg/kg

Page: 9/14 (30768792/SDS\_GEN\_US/EN)

Inhalation No applicable information available.

Dermal

No applicable information available.

Assessment other acute effects

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Origin of data: expert judgement

Irritation / corrosion Assessment of irritating effects: May cause severe damage to the eyes. Skin contact causes irritation.

Information on: Triethyl phosphate Assessment of irritating effects: Not irritating to the skin. Eye contact causes irritation.

Information on: 2,2'-dimorpholinyldiethylether Assessment of irritating effects: Eye contact causes irritation. Skin contact causes slight irritation.

Information on: Oxirane, 2-methyl-, polymer with oxirane, ether with 2,6-bis[[bis(2hydroxyethyl)amino]methyl]-4-branched nonylphenol Assessment of irritating effects: Skin contact causes irritation. May cause severe damage to the eyes.

Information on: cyclohexyldimethylamine Assessment of irritating effects: Corrosive! Damages skin and eyes.

Information on: Bismuth, 2,2',2'',2'''-(1,2-ethanediyldinitrilo)tetrakis[ethanol] neodecanoate polypropylene glycol complexes

Information on: 4-Nonylphenol, branched, ethoxylated

Information on: Ethylene oxide, polymer with 2,2'-iminodiethanol and propylene oxide Assessment of irritating effects: Skin contact causes irritation. May cause severe damage to the eyes.

Information on: Aromatic Amino Polyol Assessment of irritating effects: May cause severe damage to the eyes.

### **Sensitization**

Assessment of sensitization: Sensitization after skin contact possible.

Information on: Bismuth, 2,2',2'',2'''-(1,2-ethanediyldinitrilo)tetrakis[ethanol] neodecanoate polypropylene glycol complexes

Aspiration Hazard No aspiration hazard expected.

**Chronic Toxicity/Effects** 

Revision date : 2020/11/13 Version: 12.0

## Repeated dose toxicity

Assessment of repeated dose toxicity: Repeated exposure may affect certain organs.

Information on: ARCHIVE: SICOPLAST\* GELB 5338 SFH.

-----

### Genetic toxicity

Assessment of mutagenicity: The chemical structure does not suggest a specific alert for such an effect. No applicable information available.

#### Carcinogenicity

Assessment of carcinogenicity: The chemical structure does not suggest a specific alert for such an effect. No applicable information available.

#### Reproductive toxicity

Assessment of reproduction toxicity: The chemical structure does not suggest a specific alert for such an effect. No applicable information available.

#### Teratogenicity

Assessment of teratogenicity: The chemical structure does not suggest a specific alert for such an effect. No applicable information available.

#### Other Information

The product has not been tested. The statement has been derived from the properties of the individual components.

#### Medical conditions aggravated by overexposure

Individuals with allergic history or pre-existing dermatitis should use extra precautions when handling this product. The substance may cause sensitization of the skin in particularly sensitive individuals.

# **12. Ecological Information**

### Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Acutely toxic for aquatic organisms. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

#### Toxicity to fish

Information on: tris(2-chloro-1-methylethyl)phosphate LC50 (96 h) 51 mg/l, Pimephales promelas (Fish test acute, static) LC50 (96 h) 56 mg/l, Brachydanio rerio (Fish test acute, static)

Information on: cyclohexyldimethylamine

LC50 (96 h) 31.58 mg/l, Leuciscus idus (DIN 38412 Part 15, static) Nominal concentration. The product will cause changes in the pH value of the test system. The result refers to an unneutralized sample. After neutralization, it is no longer toxic.

Information on: 1-Propene, 1-chloro-3,3,3-trifluoro-, (1E)-LC50 (96 h) 38 mg/l, Oncorhynchus mykiss (OECD 203; ISO 7346; 92/69/EEC, C.1, static)

Revision date : 2020/11/13 Version: 12.0

Information on: Aromatic Amino Polyol LC50 (96 h) 1.07 mg/l (Flow through.)

### Aquatic invertebrates

Information on: tris(2-chloro-1-methylethyl)phosphate EC50 (48 h) 131 mg/l, Daphnia magna (Daphnia test acute, static) The statement of the toxic effect relates to the analytically determined concentration.

Information on: cyclohexyldimethylamine LC50 (48 h) 75 mg/l, Daphnia magna (OECD Guideline 202, part 1, static) The statement of the toxic effect relates to the analytically determined concentration.

Information on: 1-Propene, 1-chloro-3,3,3-trifluoro-, (1E)-EC50 (48 h) 82 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

Information on: Aromatic Amino Polyol EC50 (48 h) 8.35 mg/l (Flow through.)

#### Aquatic plants

Information on: tris(2-chloro-1-methylethyl)phosphate EC50 (72 h) 82 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static) Nominal concentration.

Information on: cyclohexyldimethylamine EC50 (72 h) 3.5 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static) Nominal values (confirmed by concentration control analytics) EC10 (72 h) 0.6 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static) Nominal values (confirmed by concentration control analytics)

Information on: 1-Propene, 1-chloro-3,3,3-trifluoro-, (1E)-EC50 (72 h) > 215 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static) No observed effect concentration (72 h) 115 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)

Information on: Aromatic Amino Polyol No observed effect concentration (96 h) 0.0986 mg/l (static) EC50 (96 h) 0.59 mg/l (static)

### Chronic toxicity to aquatic invertebrates

Information on: tris(2-chloro-1-methylethyl)phosphate No observed effect concentration (21 d) 32 mg/l, Daphnia magna (OECD Guideline 202, part 2, semistatic) Nominal concentration.

Information on: cyclohexyldimethylamine Study scientifically not justified.

# Microorganisms/Effect on activated sludge

Toxicity to microorganisms

Revision date : 2020/11/13 Version: 12.0 Page: 12/14 (30768792/SDS GEN US/EN)

Information on: tris(2-chloro-1-methylethyl)phosphate

Information on: cyclohexyldimethylamine DIN 38412 Part 8 static bacterium/EC10 (17 h): 137 mg/l Nominal concentration.

## Persistence and degradability

Assessment biodegradation and elimination (H2O) Poorly biodegradable.

**Elimination information** 

Poorly biodegradable.

### **Bioaccumulative potential**

<u>Assessment bioaccumulation potential</u> Does not significantly accumulate in organisms.

### Mobility in soil

Assessment transport between environmental compartments Adsorption to solid soil phase is not expected.

## Additional information

Adsorbable organically-bound halogen (AOX): This product contains no organically-bound halogen.

Other ecotoxicological advice: The product has not been tested. Do not discharge product into the environment without control.

# 13. Disposal considerations

### Waste disposal of substance:

Do not discharge substance/product into sewer system. Incinerate or dispose of in a licensed facility.

#### **Container disposal:**

Do not reuse empty containers. Under no circumstances should empty drums be burned or cut open with gas or electric torch as toxic decomposition products may be liberated. Steel drums must be emptied and can be sent to a licensed drum reconditioner for reuse, a scrap metal dealer or an approved landfill. Do not attempt to refill or clean containers since residue is difficult to remove.

## 14. Transport Information

Land transport USDOT

Not classified as a dangerous good under transport regulations

Sea transport IMDG

Not classified as a dangerous good under transport regulations

Revision date : 2020/11/13 Version: 12.0

# Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

# **15. Regulatory Information**

## Federal Regulations

### **Registration status:**

Chemical TSCA, US released / listed

**EPCRA 311/312 (Hazard categories):** Refer to SDS section 2 for GHS hazard classes applicable for this product.

## State regulations

State RTK	CAS Number	Chemical name
NJ	98-94-2	cyclohexyldimethylamine
PA	111-46-6	diethylene glycol
	50-00-0	Formaldehyde

# Safe Drinking Water & Toxic Enforcement Act, CA Prop. 65:

**WARNING:** This product can expose you to chemicals including ETHYLENE OXIDE, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

### **NFPA Hazard codes:**

Health: 3 Fire: 1 Reactivity: 1 Special:

# **HMIS III rating**

Health: 3<sup>a</sup> Flammability: 1 Physical hazard:1

# **16. Other Information**

### SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2020/11/13

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE , IT IS

Revision date : 2020/11/13 Version: 12.0 Page: 14/14 (30768792/SDS GEN US/EN)

PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS. DATA OR INFORMATION SET FORTH. OR THAT THE PRODUCTS. DESIGNS. DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. BASF CORPORATION WILL NOT MAKE ITS PRODUCTS AVAILABLE TO CUSTOMERS FOR USE IN THE MANUFACTURE OF MEDICAL DEVICES WHICH ARE INTENDED FOR PERMANENT IMPLANTATION IN THE HUMAN BODY OR IN PERMANENT CONTACT WITH INTERNAL BODILY TISSUES OR FLUIDS.

END OF DATA SHEET