




**1** ALL PROJECTS UP TO 20YEARS WARRANTY REQUIRE AT LEAST 1 PERIMETER SHEET, AND ALL PROJECTS EXCEEDING 20YEARS REQUIRE AT LEAST 2.

REFER TO SPECIFICATIONS FOR REQUIRED NUMBER OF PERIMETER SHEETS, ACCEPTABLE SHEET WIDTHS (BOTH FIELD AND PERIMETER), AND FASTENER SPACING BASED ON THE PROJECT WARRANTY REQUIREMENTS.

**2** FOR ROOF PERIMETER "ZONES", REFER TO DETAIL TP-LO-C1100

**3** FASTENERS AND PLATES ARE NOT REQUIRED AT END LAPS. REFER TO DETAIL TP-SM-A907

**4** EHD FASTENERS WITH 2.4" SEAM PLATES ARE APPROVED FOR WOOD, AND STEEL (18-22 GA.) SUBSTRATES, REFER TO SPECIFICATIONS FOR ACCEPTABLE PULLOUT VALUES, OR FOR OTHER FASTENERS AND COMPATIBLE SUBSTRATES.

**5** FOR FM, OR OTHER CODE RELATED REQUIREMENTS, CONTACT MULEHIDE TECHNICAL

APPLICABLE FIELD MEMBRANE (AND SYSTEMS)  
TPO FLEECE BACK (MECHANICALLY ATTACHED)

**MULEHIDE**

TPO FB: PICTURE FRAME METHOD FOR PERIMETER SHEETS

WHEN THE SYSTEM TYPE AND PROJECT DESIGN PERMIT, THIS DETAIL IS  
ACCEPTABLE FOR : **MAXIMUM 20 YEAR WARRANTY** 1

**DETAIL NO.:**

**TP-LO-A1113**

REVISION DATE: 8/24/2026