

1 ALL PROJECTS UP TO 20 YEARS WARRANTY REQUIRE AT LEAST 1 PERIMETER SHEET, AND ALL PROJECTS EXCEEDING 20YEARS REQUIRE AT LEAST 2.



REFER TO SPECIFICATIONS FOR REQUIRED NUMBER OF PERIMETER SHEETS, ACCEPTABLE SHEET WIDTHS (BOTH FIELD AND PERIMETER), AND FASTENER SPACING BASED ON THE PROJECT WARRANTY REQUIREMENTS.

2 FOR ROOF PERIMETER "ZONES", REFER TO DETAIL **TP-LO-C1100**

3 FINGERS PENETRATING THE MEMBRANE MUST BE OVERLAID WITH 6" WIDE TPO REINFORCED MEMBRANE.

4 FASTENERS AND PLATES ARE NOT REQUIRED AT END LAPS. REFER TO DETAIL **TP-SM-C900**

5 FOR FM, OR OTHER CODE RELATED REQUIREMENTS, CONTACT MULEHIDE TECHNICAL



APPLICABLE FIELD MEMBRANE (AND SYSTEMS)
TPO REINFORCED (MECHANICALLY ATTACHED)

MULEHIDE

TPO MA METAL RETROFIT: IN-SEAM PURLIN PURLIN ATTACHMENT

WHEN THE SYSTEM TYPE AND PROJECT DESIGN PERMIT, THIS DETAIL IS
ACCEPTABLE FOR : **MAXIMUM 30 YEAR WARRANTY** **1**

DETAIL NO.:
TP-LO-C1110

REVISION DATE: 8/24/2026