







1 PERIMETER ZONES



- 1 PERIMETER SHEETS ARE REQUIRED AT ALL ZONES INDICATED, REFER TO SPECIFICATIONS FOR REQUIRED NUMBER OF PERIMETER SHEETS, ACCEPTABLE SHEET WIDTHS (BOTH FIELD AND PERIMETER), AND FASTENER SPACING BASED ON THE PROJECT WARRANTY REQUIREMENTS.
- 2 FOR FM, OR OTHER CODE RELATED REQUIREMENTS, CONTACT MULEHIDE TECHNICAL.
- 3 METAL RETROFIT SYSTEMS EXCEEDING 20 YEARS REQUIRE MECHANICAL ATTACHMENT OF FIELD MEMBRANE TO PURLINS. REFER TO DETAILS TP-LO-C1108, TP-LO-C1109, OR TP-LO-C1110.

APPLICABLE FIELD MEMBRANE (AND SYSTEMS)
TPO REINFORCED (MECHANICALLY ATTACHED)
TPO FLEECE BACK (MECHANICALLY ATTACHED: 20 YR MAX)

MULEHIDE

TPO MECHANICALLY ATTACHED SYSTEM PERIMETER ZONES

WHEN THE SYSTEM TYPE AND PROJECT DESIGN PERMIT, THIS DETAIL IS
ACCEPTABLE FOR : **MAXIMUM 30 YEAR WARRANTY** 1 3

DETAIL NO.:
TP-LO-C1100

REVISION DATE: 8/24/2026