

- 1 ALL PROJECTS UP TO 20 YEARS WARRANTY REQUIRE AT LEAST 1 PERIMETER SHEET, AND ALL PROJECTS EXCEEDING 20 YEARS REQUIRE AT LEAST 2.



REFER TO SPECIFICATIONS FOR REQUIRED NUMBER OF PERIMETER SHEETS, ACCEPTABLE SHEET WIDTHS (BOTH FIELD AND PERIMETER), AND FASTENER SPACING BASED ON THE PROJECT WARRANTY REQUIREMENTS.

- 2 FOR ROOF PERIMETER "ZONES", REFER TO DETAIL TP-LO-C1100.

- 3 FASTENERS AND PLATES ARE NOT REQUIRED AT FIELD SEAMS OR END LAPS. REFER TO DETAIL TP-SM-C900.

- 4 MEMBRANE ROLLS MAY BE INSTALLED PARALLEL OR PERPENDICULAR TO THE SLOPE.

- 5 FOR FM, OR OTHER CODE RELATED REQUIREMENTS, CONTACT MULEHIDE TECHNICAL.



APPLICABLE FIELD MEMBRANE (AND SYSTEMS)
TPO REINFORCED (MECHANICALLY ATTACHED)

MULEHIDE

TPO MA METAL RETROFIT: 10" RUSS PURLIN ATTACHMENT

WHEN THE SYSTEM TYPE AND PROJECT DESIGN PERMIT, THIS DETAIL IS
ACCEPTABLE FOR : **MAXIMUM 30 YEAR WARRANTY** 1

DETAIL NO.:

TP-LO-C1108

REVISION DATE: 10/2/2026