

- 1 ALL PROJECTS UP TO 20 YEARS WARRANTY REQUIRE AT LEAST 1 PERIMETER SHEET, AND ALL PROJECTS EXCEEDING 20YEARS REQUIRE AT LEAST 2.



REFER TO SPECIFICATIONS FOR REQUIRED NUMBER OF PERIMETER SHEETS AND FASTENER SPACING BASED ON THE PROJECT WARRANTY REQUIREMENTS.

- 2 FOR ROOF PERIMETER "ZONES", REFER TO DETAIL TP-LO-C1100.

- 3 FASTENERS AND PLATES ARE NOT REQUIRED AT FIELD SEAMS OR END LAPS. REFER TO DETAIL TP-SM-C900.

- 4 MEMBRANE ROLLS MAY BE INSTALLED PARALLEL OR PERPENDICULAR TO THE SLOPE.

- 5 FOR FM, OR OTHER CODE RELATED REQUIREMENTS, CONTACT MULEHIDE TECHNICAL.



APPLICABLE FIELD MEMBRANE (AND SYSTEMS)
TPO REINFORCED (MECHANICALLY ATTACHED)

MULEHIDE

TPO MA METAL RETROFIT: 10" RUSS PURLIN ATTACHMENT

WHEN THE SYSTEM TYPE AND PROJECT DESIGN PERMIT, THIS DETAIL IS
ACCEPTABLE FOR : **MAXIMUM 30 YEAR WARRANTY** 1

DETAIL NO.:
TP-LO-C1108

REVISION DATE: 10/15/2026