

- 1 ALL PROJECTS UP TO 20 YEARS WARRANTY REQUIRE AT LEAST 1 PERIMETER SHEET, AND ALL PROJECTS EXCEEDING 20YEARS REQUIRE AT LEAST 2.



REFER TO SPECIFICATIONS FOR REQUIRED NUMBER OF PERIMETER SHEETS AND FASTENER SPACING BASED ON THE PROJECT WARRANTY REQUIREMENTS.

- 2 FOR ROOF PERIMETER "ZONES", REFER TO DETAIL TP-LO-C1100

- 3 FINGERS PENETRATING THE MEMBRANE MUST BE OVERLAID WITH 6" WIDE TPO REINFORCED MEMBRANE.

- 4 FASTENERS AND PLATES ARE NOT REQUIRED AT END LAPS. REFER TO DETAIL TP-SM-C900

- 5 FOR FM, OR OTHER CODE RELATED REQUIREMENTS, CONTACT MULEHIDE TECHNICAL



APPLICABLE FIELD MEMBRANE (AND SYSTEMS)
TPO REINFORCED (MECHANICALLY ATTACHED)

MULEHIDE

TPO MA METAL RETROFIT: IN-SEAM PURLIN ATTACHMENT

WHEN THE SYSTEM TYPE AND PROJECT DESIGN PERMIT, THIS DETAIL IS ACCEPTABLE FOR : **MAXIMUM 30 YEAR WARRANTY** 1

DETAIL NO.:
TP-LO-C1110

REVISION DATE: 10/15/2026