





GRAVEL STOP

TPO COATED

FACE HEIGHT 6" OR LESS



FACE HEIGHT OVER 6"



DIMENSIONS

____ (H) Face Height
____ (X) Flange Size
____ (R) Rise

MATERIAL

24 ga. Galv Steel TPO Coated
Color: White

Substrate: ☐ Wood
If substrate is not given, wood fasteners will be provided. ☐ Masonry
☐ Metal

QUANTITIES

____ Lineal Feet (12'-0" Lengths)
____ Outside Miter (90°)
____ Inside Miter (90°)

NOTES

- With Cleat-
- All cleats provided in 12'-0" lengths
 - All covers provided in 12'-0" lengths
 - No lap notches or splice plates provided
 - For non-90 miters, see separate print approval
 - Product should be installed per provided installation instructions
 - ANSI/SPRI/FM 4435/ES-1 Test Pressure up to 258 psf

APPROVALS



ANSI/SPRI/FM 4435/ES-1
Test Pressures listed in notes

PROJECT INFO

Project Name: _____

Architect: _____

Roofing Contractor: _____

Project Type: _____

☐ By selecting this box you have verified and confirmed that dimensions, sizes, and quantities are correct. All products will be installed in strict accordance with printed instructions.

Date: _____

MuleHide
1195 Prince Hall Drive
Beloit, WI 53511
800-786-1492
www.mulehide.com
To submit a quote request, please contact your local TM or email mhquotes@metalera.com.

SHT #: ____ of ____
DATE: **04/10/25**
DRN BY: **JJC**
CKD BY: **MM**
DWG #: 52010-42319
REV: **B**