





NAILERBOX RI

WOOD NAILER ALTERNATIVE



NOTES

- Pre-drill with 3/16" in. drill for masonry conditions
- Product should be installed per provided installation instructions
- Finish and closure strips are only used with metal deck applications
- 3" height maximum for use with a coping product on a parapet wall
- ANSI/SPRI/FM 4435/ES-1 Test Pressure up to 911 psf (Vertical) 526 psf (Horizontal)

DIMENSIONS

_____ Box Width (In Inches)

_____ Box Height (In Inches)

MATERIALS

20 ga. Galv. Steel

SUBSTRATE

If substrate is not given, wood fasteners will be provided.

- Metal (_____ Metal Deck Height in Inches)
- Existing Wood Nailer
- Masonry

QUANTITIES

_____ Lineal Feet (12'-0" Lengths)

_____ Right Endcaps

_____ Left Endcaps

_____ Finish Strip (Style 1) Lineal Feet

_____ Finish Strip (Style 2) Lineal Feet

_____ Closure Strip Lineal Feet

APPROVALS



ANSI/SPRI/FM 4435/ES-1
Test Pressures listed in notes

PROJECT INFO

Project Name: _____

Architect: _____

Roofing Contractor: _____

Project Type:

By selecting this box you have verified and confirmed that dimensions, sizes, and quantities are correct. All products will be installed in strict accordance with printed instructions.

Date: _____

SHT #: _____ of _____

DATE: **04/10/25**

DRN BY: **PL**

CKD BY: **MM**

DWG #: 52018-43791

REV: **B**

MuleHide
1195 Prince Hall Drive
Beloit, WI 53511

800-786-1492
www.mulehide.com

To submit a quote request, please contact your local TM or email mhquotes@metalera.com.